




GCSE to A-Level Maths Transition booklet

CARPE DIEM

We know that the move from GCSE to A Level can feel a little daunting at first. To help make this transition as smooth as possible, we would like you to complete this booklet over the summer.

- ✓ This booklet contains a range of questions from key topics that you will have studied at GCSE, and which are essential for success at AS and A Level. Each topic is divided into three sections: **Introduce**, which allows you to practise the key concepts; **Strengthen**, which builds on your understanding; and **Deepen**, which will challenge you further.

If you come across any topics you are unsure about, support is available. You will find Sparx codes (for those of you with access) and Corbett Maths QR codes (which everyone can use) to guide you through each topic. Unless otherwise stated, you may use a calculator.

Use the grid provided to keep track of your progress by ticking the sections you have attempted. If you have access to Sparx Maths, you can find additional practice by searching for the topic codes in Independent Learning.

This work is important and will help prepare you for a strong start in September. We will collect your completed booklet in your first Maths lesson.

Good luck — and we hope you find it useful!

Sparx codes:

Surds				U499	U707	U281
Expanding brackets				U768	U606	
Factorising quadratics				U178	U858	
Simplifying expressions				U662	U437	
Operations with algebraic fractions				U685	U457	U824
Solving quadratic equations				U228 U150	U960	U665
Quadratic graphs				U589	U769	U601
Linear simultaneous equations				U760	U757	
Straight-line graphs				U315 U669	U477 U377	U848 U898
Right-angled trigonometry				U283	U545	U170
Further trigonometry				U952	U591	

Corbett Maths QR codes:

Surds



Expanding brackets



Factorising quadratics



Simplifying expressions



Operations with algebraic fractions



Solving quadratic equations



Quadratic graphs



Linear simultaneous equations



Straight-line graphs



Right-angled trigonometry



Further trigonometry



Key facts and formulae:

The Quadratic formula:

The solution of $ax^2 + bx + c = 0$


where $a \neq 0$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Trigonometry:

In any right-angled triangle ABC where a , b and c are the length of the sides and c is the hypotenuse:


$$\sin A = \frac{a}{c} \quad \cos A = \frac{b}{c} \quad \tan A = \frac{a}{b}$$



In any triangle ABC where a , b and c are the length of the sides:

$$\text{sine rule: } \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$\text{cosine rule: } a^2 = b^2 + c^2 - 2bc \cos A$$



Q1

Expand and fully simplify $\sqrt{5}(\sqrt{5} + \sqrt{7})$

Answer:

Q2

Rationalise the denominator of $\frac{2\sqrt{5}}{\sqrt{6}}$

Give your answer in its simplest form.

Answer:

Q3

Expand and fully simplify $(6 + \sqrt{5})(1 + \sqrt{5})$

Answer:

Q4

Write $(5 + \sqrt{12})(11 + \sqrt{3})$ in the form $a + b\sqrt{3}$, where a and b are integers.

Answer:

Q5

Rationalise the denominator of $\frac{1 + \sqrt{2}}{\sqrt{2}}$

Give your answer as a fraction in its simplest form.

Answer:

Q1

Expand and fully simplify $(2\sqrt{6} - 5\sqrt{2})^2$

Answer:

Q2

Rationalise the denominator of $\frac{15 + \sqrt{3}}{10\sqrt{3}}$

Give your answer as a fraction in its simplest form.

Answer:

Q3

Rationalise the denominator of $\frac{2\sqrt{7}}{3 + \sqrt{7}}$

Give your answer in its simplest form.

Answer:

Q4

Write $\sqrt{12} + \frac{33}{\sqrt{3}}$ in the form $r\sqrt{3}$, where r is an integer

Answer:

Q1

Expand and fully simplify $(4 + \sqrt{7})^2 - (4 - \sqrt{7})^2$

Answer:

Q2

Work out the value of x in the equation below.

$$x(\sqrt{11} - 2) = 21$$

Give your answer in the form $a + b\sqrt{11}$, where a and b are integers.

Answer:

Q3

Given that h is a prime number, rationalise the denominator of $\frac{5h - \sqrt{h}}{\sqrt{h}}$


Give your answer in its simplest form.

Answer:

Q4

Calculate the unknown side length, in metres, of the rectangle below.

Give your answer in its simplest form, rationalising the denominator if necessary.



Answer: m

Q1

Expand and fully simplify $(m + 9)(m + 2)$

Answer:

Q2

Expand and fully simplify $(2a + 3)(4a + 5)$

Answer:

Q3

Expand and fully simplify $(x - 3)(4x + 9)$

Answer:

Q4

Expand and fully simplify $(6n - 5)^2$

Answer:

Q1

Expand and fully simplify $2(4d + 5)(3d + 1)$

Answer:

Q2

Expand and fully simplify $(x + 1)(x^2 + 3x + 5)$

Answer:

Q3 Expand and fully simplify $(3n + 4)(5n + 2) + 5(n + 7)$

Answer:

Q4 Expand and fully simplify $(t - 2)(t + 5)(t - 4)$

Answer:

Q1

Expand and fully simplify $(2x + 5)(4x - 3)(5x - 4)$

Answer:

Q2

Work out the values of a , b and c in the identity below.

$$(3x - 1)(x + 2)(ax + b) \equiv 15x^3 + 16x^2 - 25x + c$$

Answer: $a =$ $b =$ $c =$

Q3

Write the following expression in the form $\frac{1}{ax^b} + \frac{1}{cy^d}$ where a, b, c, and d are integers.

$$\left(\frac{1}{5x} + \frac{1}{4y}\right)\left(\frac{1}{25x^2} - \frac{1}{20xy} + \frac{1}{16y^2}\right)$$

Answer:

Q4

Show that $(x^2 + 1)(y^2 + 4) \equiv (xy - 2)^2 + (2x + y)^2$

Q1

Fully factorise $y^2 + 9y + 20$

Answer:

Q2

Fully factorise $x^2 - x - 20$

Answer:

Q3

Fully factorise $w^2 - 15w + 54$

Answer:

Q1

Fully factorise $x^2 - 16$

Answer:

Q2

Fully factorise $2r^2 + 15r + 7$

Answer:

Q3

Fully factorise $5x^2 + 22x + 8$

Answer:

Q1

Fully factorise $49h^2 - m^2$

Answer:

Q2

Fully factorise $7b - b^2 - 10$

Answer:

Q3

Fully factorise $4k^2 - 25n^2 - (2k - 5n)^2$

Answer:

Q1

Fully simplify the expression $4y^5 \times 3y^2$

Answer:

Q2

Simplify $(h^{-5})^3$

Give your answer without any negative indices.

Answer:

Q3

Write $\frac{2t^6u}{8t^3}$ as a fraction in its simplest form.

Answer:

Q4

Fully simplify $\left(\frac{t^3}{u^5}\right)^2$

Answer:

Q5

Write $\frac{33xy + 9x}{18x}$ as a fraction in its simplest form.

Answer:

Q6

Fully simplify $\frac{6a + 42}{a^2 + 11a + 28}$

Answer:

Q1

Write $\frac{(3a)^2}{54ak}$ as a fraction in its simplest form.

Answer:

Q2

Fully simplify $(64g^8h^4)^{\frac{1}{2}}$

Answer:

Q3

Fully simplify $\frac{x+2}{2x^2-31x-70}$

Answer:

Q1 Work out the values of a , b and c in the equality below.

$$\frac{2x^{20}y^4 \times 12x^4y^{26}}{(2xy^2)^3} = ax^by^c$$

Answer: $a =$ $b =$ $c =$

Q2 Work out what expression should replace the ? in the equivalent fractions below.

$$\frac{?}{12r^4(t+6)} = \frac{2n}{3r}$$

Answer: ? =

Q3 $\frac{ax^2 + bx + c}{dx^2 - 25}$ simplifies to give $\frac{x - 4}{2x - 5}$

Work out the values of a , b , c and d in the original fraction.

Answer: $a =$ $b =$ $c =$ $d =$

Q1

Fully simplify $\frac{14a}{b} \times \frac{b}{2}$

Answer:

Q2

Fully simplify $\frac{6a}{v} \div \frac{2a}{5}$

Give your answer as a fraction.

Answer:

Q3

Fully simplify the expression below to give a single fraction.

$$\frac{n+2}{5} + \frac{6n}{7}$$

Answer:

Q1

Fully simplify $\frac{2}{5a+4} \times \frac{45a+36}{a}$

Give your answer as a fraction.

Answer:

Q2

Fully simplify $\frac{6x}{(5x-7)(x+1)} - \frac{1}{5x-7}$

Give your answer fully factorised.

Answer:

Q3 Write the following as a single fraction in its simplest form:

$$\frac{2x^2 - 11x + 12}{x + 5} \div (4x^2 - 6x)$$

Give your answer fully factorised.

Answer:

Q4

Fully simplify $\frac{4ab^2}{k} \times \frac{3ak}{12k} \times \frac{7}{5ab}$

Give your answer as a fraction.

Answer:

Q1

Fully simplify $\frac{7}{36 - x^2} - \frac{3}{6 + x}$

Give your answer fully factorised.

Answer:

Q2

Write the following as a single fraction in its simplest form:

$$6 - (x + 4) \div \frac{x^2 + 11x + 28}{x - 7}$$

Give your answer fully factorised.

Answer:

Q1

Find the two solutions to the equation

$$(x - 9)(x + 5) = 0$$

Answer:

Q2

Solve this equation by factorising:

$$y^2 + 3y - 10 = 0$$

Answer:

Q3

Solve this equation by factorising:

$$12 - 8w + w^2 = 0$$

Answer:

Q4

Using the quadratic formula, solve

$$4x^2 + 16x + 15 = 0$$

Answer:

Q5

Solve this equation by factorising:

$$2m^2 - 11m + 5 = 0$$

Answer:

Q1

Using the quadratic formula, solve $y^2 - 6y + 7 = 0$

Give your answer in the form $a \pm \sqrt{b}$

Answer:

Q2

Solve the equation below using factorising.

$$6y^2 - 11y - 10 = 0$$

Answer:

Q3

Using the quadratic formula, solve $6x^2 - 35 = -11x$

Answer:

Q4

Solve $3r(3r - 4) = 2$

Give your answers to 2 d.p.

Answer:

Q1

Solve $x(x + 4) - 4(5x + 9) = 0$

Answer:

Q2

Jessica thinks of a positive number, n , which is less than 1
She adds this number to its reciprocal and gets 2.9

Work out the value of n .
Give your answer as a fraction in its simplest form.

Answer:

Q3

Solve $\frac{4}{y-1} - \frac{5}{y+2} = \frac{3}{y}$

Answer:

Q4

$$x = \frac{-3 \pm \sqrt{29}}{2}$$


There is only one equation of the form $x^2 + bx + c = 0$ that gives these values of x as solutions.

Work out the values of b and c .

Answer: $b =$ $c =$

Q1

Write down the coordinates of the roots of the quadratic curve shown below.




Answer: (, ,) and (, ,)

Q2

Here is the graph of the function $y = x^2 + x - 5$

Estimate the solutions to $x^2 + x - 5 = 0$
Give your answers to 1 d.p.




Answer: ,

Q3

The diagram below shows the graph of the function $y = 2x^2 + 2x - 7$

Work out the solutions to $2x^2 + 2x - 7 = -3$



Answer:

Q4

a) Write $x^2 + 6x + 11$ in the form $(x + c)^2 + d$, where c and d are numbers.

Answer: a)

b) Hence, write down the coordinates of the turning point on the curve $y = x^2 + 6x + 11$


Answer: b) (..... ,)

Q1

The diagram below shows a sketch of the curve $y = x^2 + 8x - 10$

P is the turning point of the curve.

Work out the coordinates of P.



Answer: (..... ,)

Q2

Work out the coordinates of the turning point of the curve $y = x^2 - 5x + 1$


Answer: (..... ,)

Q3

The diagram below shows a sketch of the curve $y = 3x^2 - 6x - 10$

P is the turning point of the curve.

Work out the coordinates of P.




Answer: (..... ,)

Q4

The diagram below shows the graph of $y = 2x^2 - 5x - 3$

Use the diagram to estimate the solutions to $2x^2 - 5x - 3 = -2x + 2$

Give any decimal answers to 1 d.p.




Answer:

Q1

The diagram below shows the graph of $y = 2x^2 + 4x - 1$

The equation $2x^2 + 4x - 1 = k$ has solutions at $x = -3$ and $x = 1$

What is the value of k ?



Answer: $k =$

Q2

A curve has the equation $y = x^2 + ax + b$, where a and b are numbers.
The turning point of the curve is $(5, 4)$

Work out the values of a and b .

Answer: $a =$ $b =$

Q3

A curve has the equation $y = -x^2 + 16x - 65$

- a) Work out the turning point of the curve.

Answer: a) (..... ,)

- b) By considering the position of the turning point and the shape of the curve, work out how many real roots $y = -x^2 + 16x - 65$ has.

Answer: b)

Q1

Solve the following simultaneous equations:

$$6x + y = 22$$

$$2x + y = 10$$

Answer: $x =$ _____, $y =$ _____**Q2**

Solve the following simultaneous equations:

$$7x - 4y = 20$$

$$2x + 4y = 16$$

Answer: $x =$ _____, $y =$ _____

Q3

Solve the following simultaneous equations:

$$15a - 4b = 25$$

$$5a + 2b = 25$$

Answer: $a =$ _____, $b =$ _____**Q4**

Solve the following simultaneous equations:

$$2x + 3y = 8$$

$$3x + 4y = 11$$

Answer: $x =$ _____, $y =$ _____

Q1

Solve the following simultaneous equations:

$$7x + 5y = 8$$

$$3x - 2y = -9$$

Answer: $x =$ $y =$ **Q2**

Solve the following simultaneous equations:

$$6x + 7y = 5$$

$$9x + 13y = -10$$

Answer: $x =$ $y =$

Q3

Solve the following simultaneous equations:

$$7y + 2x = \frac{23}{2}$$

$$5y + 3x = 9$$

Answer: $x =$ $y =$ **Q4**

Solve the following simultaneous equations:

$$4.6t + 8.1u = 104$$

$$3.8t - 2.7u = -8$$

Answer: $t =$ $u =$

Q1

Solve the following simultaneous equations:

$$3x = 3 - 4y$$

$$12y + 11 = -5x$$

Answer: $x =$ $y =$

Q2

Find the values of x , y and a by solving the following simultaneous equations:

$$6x - 7y = -10$$

$$12x - 5y = 16$$

$$2x + ay = 10$$

Answer: $x =$ $y =$ $a =$

Q3

Solve the following simultaneous equations:

$$\frac{4}{7x - 4} = \frac{1}{6y}$$

$$\frac{5x}{3y + 2} = 4$$

Answer: $x =$ $y =$

Q4


Solve the following simultaneous equations:

$$2^x = 4^{(7 - 2y)}$$

$$3^{(5x - 13y)} = 81$$


Answer: $x =$ $y =$

Q1 Work out the equation of the straight line shown below.



Answer:

Q2 Work out the equation of the straight line that is parallel to line A and passes through point P.



Answer:

Q3 Line A has the equation $2y - 10 = 16x$
Line B is perpendicular to Line A.

What is the gradient of Line B?

Answer:

Q4

A straight line has a gradient of 3 and passes through the point (2, 10)

Work out the equation of the line.

Answer:

Q5

Work out the equation of the straight line that passes through (2, 3) and (5, 18)

Answer:

Q1

A straight line has a gradient of $-\frac{3}{4}$, and passes through the point (32, 12)

Work out the equation of the line.


Answer:

Q2

The diagram below shows point P and Line A.

Line B is **perpendicular** to line A and passes through point P.

What is the equation of line B?



Answer:

Q3


Work out the equation of the straight line that passes through $(1, -7)$ and $(6, 8)$

Answer:

Q4

The graph below shows line P and line Q.
Line Q is **parallel** to line P.

What is the equation of line Q?



Answer:

Q1

Write an expression, in terms of h , for the gradient of a line **perpendicular** to the line segment joining $(3h, 20)$ to $(6h, 8)$


Give your answer as a fully simplified fraction.

Answer:

Q2

The triangle ABC has an area of 24 square units.

What are the coordinates of point B?



Answer: (..... ,)


Q3

Line A has the equation $y + 2x = 14$

The gradient of line B is twice the gradient of line A.

Work out the ratio of the length of OQ to the length of OR.

Give your answer in its simplest form.




Answer:

Q4

A circle, centre O, passes through the point $(6, -12)$, as shown.

Work out the equation of the tangent to the circle at this point.


Give your answer in the form $y = mx + c$, where m and c are integers or fractions in their simplest form.



Answer:

Q1

Work out the length g .
Give your answer to 1 d.p.




Not drawn accurately

Answer: mm

Q2

Work out the length k .
Give your answer to 1 d.p.




Not drawn accurately

Answer: cm

Q3

Calculate the size of angle y .
Give your answer to the nearest integer.




Not drawn accurately

Answer: °

Q1

Calculate the length y .
Give your answer to 2 d.p.




Not drawn accurately

Answer: m

Q2

Calculate the size of angle BAC.
Give your answer to 1 d.p.




Not drawn accurately

Answer: °

Q3

What is the size of angle x ?
Give your answer to 1 d.p.




Not drawn accurately

Answer: °

Q1

Calculate the size of angle θ .
Give your answer to 1 d.p.



Not drawn accurately

Answer:°

Q2

Work out the length y .
Give your answer to 2 d.p.




Not drawn accurately

Answer: cm

- Q3** The graph below shows the line with equation $y = 5x + 2$.
The axes both have the same scale.

Calculate the size of angle θ .
Give your answer in degrees to the nearest integer.




Not drawn accurately

Answer:°

- Q4** The shape below is a regular hexagon.

Use trigonometry to calculate the distance p .
Give your answer in centimetres to 2 d.p.




Not drawn accurately

Answer: cm

Q1

Using the sine rule, calculate the length x .
Give your answer to 1 d.p.




Not drawn accurately

Answer: cm

Q2

Using the cosine rule, work out the length y .
Give your answer to 1 d.p.




Not drawn accurately

Answer: m

Q3

Use the sine rule to calculate angle θ .
Give your answer to 1 d.p.




Not drawn accurately

Answer: $^\circ$

Q4

Use the cosine rule to calculate the size of angle x .
Give your answer to the nearest degree.




Not drawn accurately

Answer: $^\circ$

Q1

Work out length x .
Give your answer to 1 d.p.




Not drawn accurately

Answer: cm

Q2

All the angles in the triangle below are acute.
Calculate the angle θ to 1 d.p.




Not drawn accurately

Answer:°

Q1

Calculate the length d .
Give your answer to 2 s.f.




Not drawn accurately

Answer: cm

Q2

Work out the length y in the triangle below.
Give your answer in its simplest form, rationalising the denominator if necessary.




Not drawn accurately

Answer: cm

Q3 Using the information below, work out the value of x .

$\sin A = \frac{4}{5}$ $\sin B = \frac{3}{4}$




Not drawn accurately

Answer:

Q4 Given that $\cos \theta = \frac{1}{8}$ in the triangle below, show that $y^2 = ax^2 + bx + c$ where a , b and c are numbers.

What are the values of a , b and c ?



Not drawn accurately

Answer: $a =$ $b =$ $c =$

	Introduce	Strengthen	Deepen
Surd	Q1 $5 + \sqrt{35}$	Q1 $74 - 40\sqrt{3}$	Q1 $16\sqrt{7}$
	Q2 $\frac{\sqrt{30}}{3}$	Q2 $\frac{1 + 5\sqrt{3}}{10}$	Q2 $6 + 3\sqrt{11}$
	Q3 $11 + 7\sqrt{5}$	Q3 $3\sqrt{7} - 7$	Q3 $5\sqrt{h} - 1$
	Q4 $61 + 27\sqrt{3}$	Q4 $13\sqrt{3}$	Q4 $\frac{9\sqrt{3} - 13}{2}$
	Q5 $\frac{\sqrt{2} + 2}{2}$		
Expanding brackets	Q1 $m^2 + 11m + 18$	Q1 $24d^2 + 38d + 10$	Q1 $40x^3 + 38x^2 - 131x + 60$
	Q2 $8a^2 + 22a + 15$	Q2 $x^3 + 4x^2 + 8x + 5$	Q2 $a = 5, b = -3, c = 6$
	Q3 $4x^2 - 3x - 27$	Q3 $15n^2 + 31n + 43$	Q3 $\frac{1}{125x^3} + \frac{1}{64y^3}$
	Q4 $36n^2 - 60n + 25$	Q4 $t^3 - t^2 - 22t + 40$	Q4 Equivalence correctly shown, for example through expanding brackets and simplifying both sides of the equivalence.
quadratics	Q1 $(y + 4)(y + 5)$	Q1 $(x + 4)(x - 4)$	Q1 $(7h + m)(7h - m)$
	Q2 $(x + 4)(x - 5)$	Q2 $(2r + 1)(r + 7)$	Q2 $(5 - b)(b - 2)$
	Q3 $(w - 6)(w - 9)$	Q3 $(5x + 2)(x + 4)$	Q3 $10n(2k - 5n)$
Simplifying expressions	Q1 $12y^7$		
	Q2 $\frac{1}{h^{15}}$	Q1 $\frac{a}{6k}$	Q1 $a = 3, b = 21, c = 24$
	Q3 $\frac{t^3u}{4}$	Q2 $8g^4h^2$	Q2 $8nr^3(t + 6)$
	Q4 $\frac{t^6}{u^{10}}$	Q3 $\frac{1}{2x - 35}$	Q3 $a = 2, b = -3, c = -20, d = 4$
	Q5 $\frac{11y + 3}{6}$		
	Q6 $\frac{6}{a + 4}$		

	Introduce	Strengthen	Deepen
Operations with algebraic fractions	Q1 $7a$ Q2 $\frac{15}{v}$ Q3 $\frac{37n + 14}{35}$	Q1 $\frac{18}{a}$ Q2 $\frac{5x - 1}{(5x - 7)(x + 1)}$ Q3 $\frac{x - 4}{2x(x + 5)}$ Q4 $\frac{7ab}{5k}$	Q1 $\frac{3x - 11}{(6 - x)(6 + x)}$ Q2 $\frac{5x + 49}{x + 7}$
Solving quadratic equations	Q1 $x = 9$ and $x = -5$ Q2 $y = 2$ and $y = -5$ Q3 $w = 2$ and $w = 6$ Q4 $x = \frac{-5}{2}$ and $x = \frac{-3}{2}$ Q5 $m = \frac{1}{2}$ and $m = 5$	Q1 $y = 3 \pm \sqrt{2}$ Q2 $y = \frac{-2}{3}$ and $y = \frac{5}{2}$ Q3 $y = \frac{-7}{2}$ and $y = \frac{5}{3}$ Q4 $r = -0.15$ and $r = 1.48$	Q1 $x = -2$ and $x = 18$ Q2 $n = \frac{2}{5}$ Q3 $y = \frac{-1}{2}$ and $y = 3$ Q4 $b = 3, c = -5$
Quadratic graphs	Q1 $(2, 0)$ and $(6, 0)$ Q2 $x = -2.8$ and $x = 1.8$ Q3 $x = -2$ and $x = 1$ Q4 a) $(x + 3)^2 + 2$ b) $(-3, 2)$	Q1 $(-4, -26)$ Q2 $\left(\frac{5}{2}, \frac{-21}{4}\right)$ Q3 $(1, -13)$ Q4 $x = -1$ and $x = 2.5$	Q1 5 Q2 $a = -10, b = 29$ Q3 a) $(8, -1)$ b) 0
Linear simultaneous equations	Q1 $x = 3, y = 4$ Q2 $x = 4, y = 2$ Q3 $a = 3, b = 5$ Q4 $x = 1, y = 2$	Q1 $x = -1, y = 3$ Q2 $x = 9, y = -7$ Q3 $x = \frac{1}{2}, y = \frac{3}{2}$ Q4 $t = 5, u = 10$	Q1 $x = 5, y = -3$ Q2 $x = 3, y = 4, a = 1$ Q3 $x = 4, y = 1$ Q4 $x = 6, y = 2$
Straight-line graphs	Q1 $y = -5x + 3$ Q2 $y = \frac{4}{7}x + 5$ Q3 $\frac{-1}{8}$ Q4 $y = 3x + 4$ Q5 $y = 5x - 7$	Q1 $y = \frac{-3}{4}x + 36$ Q2 $y = \frac{1}{3}x + 4$ Q3 $y = 3x - 10$ Q4 $y = 3x + 5$	Q1 $\frac{h}{4}$ Q2 $(12, 4)$ Q3 7:10 Q4 $y = \frac{1}{2}x - 15$

	Introduce	Strengthen	Deepen
Right-angled trigonometry	Q1 4.2 mm Q2 4.5 cm Q3 49°	Q1 18.28 m Q2 40.2° Q3 61.9°	Q1 45.9° Q2 15.62 cm Q3 79° Q4 10.91 cm
Further trigonometry	Q1 11.7 cm Q2 10.1 m Q3 41.7° Q4 77°	Q1 3.2 cm Q2 85.6°	Q1 2.2 cm Q2 $(4 + 7\sqrt{6})$ cm Q3 30 Q4 $a = 16, b = 3, c = 9$

